

Processing & Editing

Eye Com Supplies Division has everything you need to complete the processing and editing of your microfilm. This includes ANSI leaders, ANSI Magazines, ANSI Reel Inserts, Cartridges & Magazines, Labels, Film Storage, Flange Reels, Hand Inserts, Trailer Holders, Splicing Tabs, Splicing Tape, Gloves, Staples & Pliers and Processing Leaders. Take a look at the tables below to find part numbers and descriptions.

| ANSI Leaders | Part # | Description | Quantity | Weight |
|--------------|---------|---|----------|------------|
| 5 mil | ALDRC | 16mm clear polyester, used in solid flange reels to make loading easier and more reliable | 100/box | 2 lbs./box |
| 10 mil | ALDRC10 | 16mm clear polyester, used in solid flange reels to make loading easier and more reliable | 100/box | 2 lbs./box |

ANSI Magazines

Replaces Kodak Ektamate A Magazine #111-9130. They are designed to be used with any 16mm solid flange reel.

| Part # | Color | Case Lot Quantity | Case Lot Weight |
|-----------|--------|--------------------|-----------------|
| ANIMAGS | Grey | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-BG | Beige | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-BK | Black | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-BL | Blue | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-BR | Brown | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-GR | Green | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-OR | Orange | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-RD | Red | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-WT | White | 200 Magazines/Case | 14 lbs./case |
| ANIMAG-YL | Yellow | 200 Magazines/Case | 14 lbs./case |

| ANSI Reel Inserts | Part # | Description | Quantity | Weight |
|-------------------|--------|--------------------------------|----------|-------------|
| One Piece | RINS | 50% spacer for 50 or less film | 100/pack | 5 lbs./pack |

Cartridges & Magazines

M Cartridges - M Cartridges have a molded one-piece reel. The flanges cannot separate and the core will not strip. Standard (flat) finish or premium (gloss) finishes are available in assorted colors. Available with or without inserts. All descriptions and part numbers are without inserts. To include inserts, simply add a "I" after the part number.

| Part # | Description | Quantity (case) | Weight (case) |
|--------|--|-----------------|---------------|
| MSBG | Beige with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSBK | Black with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSBL | Blue with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSGR | Green with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSRD | Red with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSOR | Orange with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSYL | Yellow with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MSWT | White with leader and trailer, standard (flat) finish | 100 cart. | 23 lbs. |
| MPBG | Beige with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPBK | Black with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPBL | Blue with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPGR | Green with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPRD | Red with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPOR | Orange with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPYL | Yellow with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |
| MPWT | White with leader and trailer, premium (gloss) finish | 100 cart. | 23 lbs. |

| M Reel Inserts | Part # | Description | Weight |
|----------------|--------|---------------------------------|--------------------|
| One Piece | MINS | 50% spacer for 50' or less film | 5 lbs./ 100 pieces |

| M Reel Inserts | Part # | Description | Weight |
|----------------|--------|------------------|--------------------|
| Clear 10 mil. | MLDRC | Polyester diecut | 3 lbs./ 100 pieces |

Labels

All labels are pressure-sensitive, smudge-proof and available in plain or lined (Fugi type) for M Cartridge, ANSI Magazines and 16mm Paper or Plastic Boxes. Labels are sold in fan-folded packs or laser sheets. Part# MAGLB-S replaces Kodak Part# 108-9184.

| Part # | Description | Pack Quantity | Weight |
|----------|---|---------------|--------|
| MLBLPF | 2-part Face & Edge, 3-1/2" x 3-1/2" x 3-1/2" x 3/4", White with Removable Adhesive, Pinfeed | 500 sets | 3 lbs. |
| LLBL | 2-part Face & Edge, 3-1/2" x 3-1/2" x 3-1/2" x 3/4", White with Permanent Adhesive, Non-pinfeed | 1000 sets | 4 lbs. |
| EDLBL | 1-part Edge, 3-1/2" x 3/4", White with Removable Adhesive, Pinfeed | 1000 sets | 1 lb. |
| MAGLBL | 1-part ANSI Magazines, 2-9/16" x 7/8", White with Removable Adhesive, Pinfeed | 1000 labels | 1 lb. |
| MLBL-S | 2-part Face & Edge 3-1/2" x 3-1/2" x 3-1/2" x 3/4" White with Permanent Adhesive, Laser Sheets | 1000 sets | 7 lbs. |
| MAGLBL-S | 1-part ANSI Magazine, 2-7/16" x 7/8", White with Permanent Adhesive, Laser sheets | 1500 labels | 2 lbs. |

Film Storage

Black Plastic Boxes feature plastic snap covers and are made of polypropylene. 16mm boxes are available in edge or face opening. 35mm available with edge opening only. Bleached Craftboard Storage Boxes are made from white paper and are available in plain or printed (lined) for indexing contents. 16mm Mailer Boxes are constructed from white craftboard and feature locking tabs. Each box holds an M Cartridge, ANSI Magazine or 16mm paper or plastic box. Acid-Free Craftboard Boxes are available for 16mm and 35mm film, and are constructed from acid-free and lignin-free paper. All Acid-Free Craftboard Boxes meet ANSI standards for archival storage.

| Part # | Description | Quantity (case) | Weight (case) |
|---------|---|-----------------|---------------|
| SBBK | 16mm Black Plastic Box with Snap Cover, Edge Open | 100 boxes | 10 lbs. |
| SBBKF | 16mm Black Plastic Box with Snap Cover, Face Open | 100 boxes | 10 lbs. |
| SBBK35 | 35mm Black Plastic Box with Snap Cover, Edge Open | 111 boxes | 14 lbs. |
| SB16P | 16mm Bleached Craftboard Storage Box, Plain | 1000 boxes | 26 lbs. |
| SB16L | 16mm Bleached Craftboard Storage Box, Lined | 1000 boxes | 26 lbs. |
| SB35P | 35mm Bleached Craftboard Storage Box, Plain | 1000 boxes | 32 lbs. |
| SB35L | 35mm Bleached Craftboard Storage Box, Lined | 1000 boxes | 32 lbs. |
| MLR16MM | 16mm Mailer Box, White | 200 boxes | 10 lbs. |
| SB16AF | 16mm Acid-free Craftboard Box, White | 250 boxes | 10 lbs. |
| SB35AF | 35mm Acid-free Craftboard Box, White | 250 boxes | 35 lbs. |

Flange Reels

Solid Flange Reels meet ANSI/AIIM standards for 16mm single core reels. Square/square or square/round cores available for 16mm sizes and square/round for 35mm. Solid Flange Reels with locks eliminate the need for trailer holders. The lock securely anchors film to the reel core in one quick step. Premium Solid Flange Reels work in the most grueling high-speed applications. Tolerates constant use without significant damage. Open Flange Reel features square/square cores and are available for 16mm and 35mm film.

| Part # | Description | Quantity (case) | Weight (case) |
|---------|---|-----------------|---------------|
| SFWSS | 16mm Solid Flange, Square/Square | 500 Reels | 24 lbs. |
| SFWSR | 16mm Solid Flange, Square/Round | 500 Reels | 24 lbs. |
| SFGSK35 | 95mm Solid Flange, Square/Round | 250 Reels | 17 lbs. |
| PSFWSR | 16mm Premium Solid Flange with Lock, Square / Round | 500 Reels | 23 lbs. |
| OFR16SS | 16mm Open Flange, Square/Square | 500 Reels | 19 lbs. |
| OFR35SS | 35mm Open Flange, Square/Square | 250 Reels | 13 lbs. |

* All Flange Reels are White

| Trailer Holders | Description | Quantity | Weight |
|---------------------------|---------------------|----------|-------------|
| Anchors film to reel core | White thermo-rubber | 500/pack | 2 lbs./pack |

Splicing Tabs

These butterfly type splice tabs are pre-cut to simplify splicing, and are available in separate or roll form. 16mm tabs are also available in tapered (K-type) format.

| Part # | Description | Quantity (case) | Weight (case) |
|--------|---|-----------------|---------------|
| CT16 | 16mm Clear Tapered (K-type) Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| CT16 | 16mm Clear Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| S16 | 16mm Silver Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| B16 | 16mm Black Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| C35 | 35mm Clear Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| S35 | 35mm Silver Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| B35 | 35mm Black Splice Tabs, Separate | 1000 Tabs | 1 lb. |
| CR16 | 16mm Clear Splice Tabs, Roll | 1000 Tabs | 1 lb. |
| SR16 | 16mm Silver Splice Tabs, Roll | 1000 Tabs | 1 lb. |
| BR16 | 16mm Silver Splice Tabs, Roll | 1000 Tabs | 1 lb. |
| CR35 | 35mm Clear Splice Tabs, Roll | 1000 Tabs | 1 lb. |
| SR35 | 35mm Silver Splice Tabs, Roll | 1000 Tabs | 1 lb. |
| BR35 | 35mm Black Splice Tabs, Roll | 1000 Tabs | 1 lb. |

Splicing Tape

Comes in 72-yard rolls with 3" core and is available in 1/2" or 1" widths. Clear and black splicing tape is used for editing, while silver and white feature a waterproof adhesive suitable for processing. Twin Checks feature 5 digit (black) and are sequentially numbered.

| Part # | Description | Weights |
|---------|--|---------|
| ST500 | Clear Splicing Tape, 1/2" wide x 72 yards, 1 roll | 1 lb. |
| ST500S | Silver Splicing Tape, 1/2" wide x 72 yards, 1 roll | 1 lb. |
| ST1000C | Clear Splicing Tape, 1" wide x 72 yards, 1 roll | 1 lb. |
| ST1000S | Silver Splicing Tape, 1" wide x 72 yards, 1 roll | 1 lb. |
| TWNCK | Twin Checks, 5-digit (sequentially numbered), 1 roll | 1 lb. |

Film Handling Gloves

Protect film from the skin's oils and fingerprints. Available in Cotton and Nylon, and in Men's (large) and Women's (medium) sizes.

| Part # | Description | Weights |
|--------|---|---------|
| GLMCT | Cotton Film Handling Gloves, Men's Large 1 dozen | 1 lb. |
| GLWCT | Cotton Film Handling Gloves, Women's Medium 1 dozen | 1 lb. |
| GLMNY | Nylon Film Handling Gloves, Men's Large 1 dozen | 1 lb. |
| GLWNY | Nylon Film Handling Gloves, Women's Medium 1 dozen | 1 lb. |

Processing Leaders

Clear polyester rolls on a 3" core.

| Part # | Description | Weights |
|---------|---|---------|
| PL16-5 | Processing Leaders 16mm x 1000' x 5 mil | 2 lbs. |
| PL16-10 | Processing Leaders 16mm x 1000' x 5 mil | 4 lbs. |
| PL35-5 | Processing Leaders 16mm x 1000' x 5 milNylon Film | 4 lbs. |
| PL105-5 | Processing Leaders 16mm x 1000' x 5 mil | 12 lbs. |

Staples & Pliers

1/4" Monel alloy staples are small enough to travel over rollers without damage during processing. The hand-held stapler speeds attachment and rounds off staple ends to prevent jamming.

| Part # | Description | Weights |
|----------------|-----------------------------|---------|
| Staples (3279) | Monel Staples 1 box (5,000) | 1 lb. |
| Pliers (32870) | Rapid 51 Microfilm Stapler | 1 lb. |

Hand Inserts

This 16mm Microfilm Hand Inserter is a handy tool for manually updating multiple frames of film into jackets. It is also useful for removing images incorrectly inserted. Stainless steel construction ensures scratch-free operation. Measures 10" x 1/4". Part# 3229